

# Exomitin®

**Dosage Form:** hydrogel

**Structure:**  
in 1 ml:

PEG 400 - 680 mg, PEG 1500 - 170 mg, benzalkonium chloride 0.1 mg, lactic acid - 0.045 mg, Plastoquinonyldecyl triphenylphosphonium bromide (PDTP) 50 µM (0.031 mg) concentration, water - up to 1 ml.

## **Indication**

Exomitin® hydrogel is designed for skin care after a negative thermal or mechanical action, as well as for the care of problem-prone and damaged skin. Due to an innovative formula, the mitochondrial antioxidant SkQ1 has a protective and soothing effect in case of different types of dermal irritations, redness and dry skin.

## **Cosmetological Effect**

Exomitin® hydrogel provides effective protection of skin cells and restores their regenerative functions.

## **Application Method**

Exomitin® must be applied in a thin layer directly to problem skin areas as the circumstances require. Allow to soak for 30 minutes. If the joint use with other medications is required, apply Exomitin® first.

## **Side Effects**

Allergic response to components of the drug is possible.

## **Precaution**

In case the hydrogel contacts with your eyes, rinse them with water. In case there is a burning sensation or irritation in places of application, it is necessary to stop using the product and consult a specialist.

## **Drug Form**

Hydrogel in tubes with a screw cap. Each tube with instructions for use is placed in a pack of cardboard.

## **Storage and Transportation Conditions**

Store and transport at 2-8°C in a dark place. Short-term (up to 14 days) storage and transportation at temperatures not exceeding 25°C in a dark place is allowed.

## **Shelf Life**

24 months. After opening the tube, store it for 6 months at 2-8°C in a dark place!

## **Manufacturer**

EMANSI Laboratory CJSC, room 1, 1st Lyusinovsky per. 3B, Moscow, 119049, Russia.

## **Consumer Complaints Organization**

Mitotech LLC, Leninskiye gory 1, building 77/21, Moscow, 119992, Russia. Tel.: + 7 (495) 939-59-45.

## **MANUFACTURER INFORMATION**

Plastoquinone is a powerful natural antioxidant of green chloroplasts.

C10 is a linker that allows positioning the SkQ1 molecule in the mitochondria membrane with an accuracy of 1 nanometer.

Skulachev's Ion® (triphenylphosphonium) is a positively charged group that targetedly delivers the entire SkQ1 molecule to mitochondria.

SkQ1 was developed at Lomonosov Moscow State University under the supervision of V.P. Skulachev academician of the Russian Academy of Sciences.

Due to a proven decrease in the activity of free radicals in mitochondria, SkQ1 interrupts the aging program at the intracellular level.

Exomitin® hydrogel is designed for skin care after negative thermal or mechanical action, as well as for the care of problem-prone and damaged skin.

Due to an innovative formula, the mitochondrial antioxidant SkQ1 has a protective and soothing effect in case of different types of dermal irritations, redness and dry skin.

Exomitin® normalizes the general condition of the skin, improving its regenerative functions, and it helps to increase the antioxidant protection of skin cells. The use of Exomitin® provides proper skin care and increases its resistance to adverse external factors.

**The regenerating hydrogel Exomitin contains the active ingredient - SkQ1 - an innovative antioxidant of targeted action (Skulachev's Ion). Unique properties of SkQ1 provide effective protection of skin cells and restore their regenerative functions.**